

©

കേരള സർക്കാർ  
Government of Kerala  
2018



Regn. No. KERBIL/2012/45073

dated 5-9-2012 with RNI

Reg. No. KL/TV(N)/634/2018-20

# കേരള ഗസറ്റ്

## KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധീചെയ്യുന്നത്

PUBLISHED BY AUTHORITY

വാല്യം 7  
Vol. VII

തിരുവനന്തപുരം,  
ചൊവ്വ

Thiruvananthapuram,  
Tuesday

2018 സെപ്റ്റംബർ 4  
4th September 2018 .

1194 ചിങ്ങം 19  
19th Chingam 1194

1940 ഭാദ്രം 13  
13th Bhadra 1940 .

നമ്പർ  
No. } 35

### PART III

## Electrical Inspectorate Department

### വിജ്ഞാപനം

നമ്പർ എം-2/17230/2018/സി.ഐ.എം.

2018 ആഗസ്റ്റ് 9.

കേരള സംസ്ഥാന വിദ്യുത്പക്ഷി ലൈസൻസിംഗ് ബോർഡ്  
കേരളത്തിലെ വിവിധ കേന്ദ്രങ്ങളിൽവച്ച് 2018 ഡിസംബർ  
മാസം 15-ന് നടത്തുവാൻ ഉദ്ദേശിക്കുന്ന ഇലക്ട്രിക്കൽ  
സ്പുർണ്ണവൈസർ ‘ബി’ ദ്രോഡ് പരിക്ഷയ്ക്ക് നിശ്ചിത യോഗ്യത  
ഉള്ളവരിൽ നിന്നും അപേക്ഷകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.  
പരിക്ഷയിൽ വിജയിക്കുന്നവർക്ക് കേരള സംസ്ഥാന വിദ്യുത്പക്ഷി  
ലൈസൻസിംഗ് ബോർഡ് നിയമത്തിലെ 29(1),  
30(1) എന്നീ വകുപ്പുകൾ പ്രകാരം ഇലക്ട്രിക്കൽ സ്പുർണ്ണവൈസർ  
'ബി' ദ്രോഡ് കോമ്പിറ്റിന്റെ സർട്ടിഫിക്കറ്റും പെൻഡിറ്റും  
നൽകുന്നതാണ്. അപേക്ഷാ ഫോറത്തിൽ മാത്രം  
[www.ceikerala.gov.in](http://www.ceikerala.gov.in) എന്ന വെബ് സൈറ്റിൽ നിന്നും

യൗസ്ഥലോധി ചെയ്ത് എടുക്കാവുന്നതാണ്. യൗസ്ഥലോധി  
ചെയ്തതെന്തെന്ത് അപേക്ഷയോടൊപ്പം അപേക്ഷാഫീസായ  
₹ 840-ൽ ചെലവാനും ഹാജരാക്കേണ്ടതാണ്.

പുറിപ്പിച്ച അപേക്ഷ നിശ്ചിത രേഖകളോടുകൂടി സെക്രട്ടറി,  
കേരള സംസ്ഥാന വിദ്യുത്പക്ഷി ലൈസൻസിംഗ് ബോർഡ്, ചീഫ്  
ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറുടെ കാര്യാലയം, ഹൗസിംഗ്  
ബോർഡ് ബിൽഡിംഗ്, ശാന്തിനഗർ, തിരുവനന്തപുരം-695 001  
എന്ന മേൽവിലാസത്തിൽ 2018 ഒക്ടോബർ 31-ാം തീയതി  
ചെവകുന്നേരം 5 മണിക്കൂർമുണ്ട് ലഭിച്ചിരിക്കേണ്ടതാണ്.

ചീഫ് ഇലക്ട്രിക്കൽ  
ഇൻസ്പെക്ടറുടെ  
കാര്യാലയം,  
തിരുവനന്തപുരം.

(പ്രസ്)  
സെക്രട്ടറി,  
കേരള ദ്രോഡ് ഇലക്ട്രിസിറ്റി  
ലൈസൻസിംഗ് ബോർഡ്.

## അനുബന്ധം

**ഇലക്ട്രിക്കൽ സുപ്രഖ്യാതവും പരിക്ഷ - 2018**

1. **ധോഗ്യതകൾ :** — സുപ്രഖ്യാതവും പരിക്ഷ എഴുതുവാൻ ഉദ്ദേശിക്കുന്ന പരിക്ഷാർത്ഥികൾ താഴെ പറയുന്ന ഏതെങ്കിലും ഒരു വിഭാഗത്തിൽ ഉൾപ്പെടുവരായിരിക്കും.
  - (1) വയർമാൻ, ഇലക്ട്രിച്ചും, ഇൻഡസ്ട്രിയൽ ഇലക്ട്രിച്ചും, ഇൻഡസ്ട്രിയൽ എസ്കർ ഇലക്ട്രിക്കൽ എന്നീ ശ്രദ്ധകളിൽ എൽ.എ.എൽ.പി.എൽ. (ഇലക്ട്രിക്കൽ, കെ.ജി.എൽ. (ഇലക്ട്രിക്കൽ എഞ്ചനീയറിംഗ്) പരിക്ഷ എന്നിവയിൽ ഏതെങ്കിലും പാസായി, കേരള സംസ്ഥാന വിദ്യാഭ്യാസത്തി ലൈസൻസിൽ ബോർഡിൽ വരുമാൻ പെരിമിറ്റ് ലഭിച്ച് ചുരുങ്ഗിയത് രണ്ടു കൊണ്ടുതന്നെ വയറിംഗ് സംബന്ധമായ പ്രായോഗിക പരിജ്ഞാനം നേടിയവർ.
  - (2) ലൈസൻസിൽ ബോർഡിൽ വരുമാൻ പരിക്ഷ എഴുതി പാസ്സായി പെരിമിറ്റ് കിട്ടിയവരും അപ്രസ്തുതിപ്പിച്ച് ഉൾപ്പെടുത്താം അഞ്ചു വർഷത്തെ പ്രായോഗിക പരിജ്ഞാനം നേടിയവരും (പെരിമിറ്റ് കിട്ടിയതിനുശേഷം നാലുവർഷത്തെ പരിചയം).
  - (3) ‘സി’ കൂളി ലൈസൻസ് ലഭിച്ച് 10 വർഷത്തെ തുടർച്ചയായ പ്രായോഗിക പരിജ്ഞാനം നേടിയ പത്താം കൂളി പഠനം പൂർത്തിയായവർക്കും.
2. **വിദ്യാഭ്യാസ ധോഗ്യത:**— ധോഗ്യതകൾ 1 (3) ഒരുക്കയുള്ള അപേക്ഷകൾ എൽ.എസ്.എൽ.എൽ.സി.യോ തത്ത്വജ്ഞാന പരിക്ഷയോ പാസ്സായിരിക്കും.
3. **പ്രായപരിധി:**— വിജ്ഞാപന തിയതിയിൽ അപേക്ഷകൾ 18 വയസ്സ് പൂർത്തിയായിരിക്കും. 65 വയസ്സ് പൂർത്തിയായാൽ വരുമാനം അംഗീകാരം ഉണ്ടായിരിക്കുന്നതല്ല.
4. **ഫീസ്:**— കേരളത്തിലെ ഏതെങ്കിലും ഗവൺമെന്റ് ട്രഷററിൽ/ജനസേവനകേന്ദ്രത്തിൽ “0043-00-800-99” എന്ന ശീർഷകത്തിൽ രൂ 525 (അണ്ണുറ്റി ഇരുപത്തി അഞ്ചു രൂപ) അംച്ചു അറ്റുൽ ചെലവാൻ പരിക്ഷാ ഫീസിന്തെയും, രൂ 315 അംച്ചു ചെലവാൻ അപേക്ഷാ മോറത്തിലെ വിലയായും ആകെ ഫീസ് രൂ 840 (എണ്ണുറ്റി നാൽപത് രൂപ) അപേക്ഷയോടൊപ്പം ഹാജരാക്കും. ഒരിക്കൽ നൽകിയ ഫീസ് തിരികെ നൽകുകയോ മറ്റ് ഏതെങ്കിലും ആവശ്യത്തിന് നികുപ്പോക്ക് നടത്തുകയോ ചെയ്യുന്നതല്ല.
5. വയസ്സും വിദ്യാഭ്യാസ ധോഗ്യതയും തെളിയിക്കുന്നതിനുള്ള സർട്ടിഫിക്കറ്റുള്ള പകർപ്പുകൾ ഗസറ്റ് ആഫീസർ സാക്ഷ്യപ്പെടുത്തി അയയ്ക്കേണ്ടതാണ്. തൊഴിൽ ഉടമയിൽ നിന്നുള്ള സ്വഭാവ സർട്ടിഫിക്കറ്റിൽ അസ്ത്ര ഹാജരാക്കും.
6. അപേക്ഷ ക്ഷമിച്ചുകൊണ്ടുള്ള വിജ്ഞാപനത്തിൽ നബരും തിയതിയും അപേക്ഷയുടെ മുകളിൽ എഴുതേണ്ടതാണ്.

7. പരിപര സർട്ടിഫിക്കറ്റ് അപേക്ഷയിൽ കൊടുത്തിട്ടുള്ള മോറത്തിലായിരിക്കും. പരിക്ഷാർത്ഥി ഓന്റൽ കുടുതൽ തൊഴിൽ ഉടമകളുടെ കിഴിൽ ജോലി ചെയ്തിട്ടുണ്ടെങ്കിൽ ഓരോരുത്തരിൽ നിന്നും പ്രത്യേകം സർട്ടിഫിക്കറ്റിലും ഹാജരാക്കേണ്ടതാണ്. ഇപ്പോൾ ജോലി ചെയ്യുന്ന തൊഴിലുടെ ഉടമകളുടെ സർട്ടിഫിക്കറ്റ് അപേക്ഷയിലും മറ്റുള്ളവ ആതെ മാതൃകയിലും ആയിരിക്കും.

8. സർവ്വീസ് ആരംഭിക്കുകയും അവസാനിപ്പിക്കുകയും ചെയ്തതിന്റെ കുത്യാമായ തിയതികൾ 10-10 കോളത്തിൽ എഴുതേണ്ടതാണ്.

9. അപേക്ഷയോടൊപ്പുള്ള ഹാൾ ടിക്കറുകളുടെ അജിനേറു, ഡ്യൂപ്പിക്കേറ്റ് മോറാജേളും മോട്ടോ പതിച്ച് അപേക്ഷയിൽ പറഞ്ഞിട്ടുള്ളപ്രകാരം പുരിപ്പിച്ച് അയയ്ക്കേണ്ടതാണ്.

10. അപേക്ഷയോടൊപ്പം താഴെ പറയുന്ന പ്രമാണങ്ങൾ ഹാജരാക്കും.

(1) ആകെ ഫീസ് രൂ 840 (എണ്ണുറ്റി നാൽപത്). ഫീസ് രൂ 840 (എണ്ണുറ്റി നാൽപത്) കേരളത്തിലെ ഏതെങ്കിലും ഗവൺമെന്റ് ട്രഷററിയലോ/ജനസേവന കേന്ദ്രത്തിലോ “0043-00-800-99” എന്ന ശീർഷകത്തിൽ അംച്ചു അറ്റുൽ ചെലവാൻ “0043-00-800-99” എന്ന ശീർഷകത്തിൽ അംച്ചു അറ്റുൽ ചെലവാൻ (അപേക്ഷാ മോറത്തിലെ വില രൂ 315, പരിക്ഷാഫീസ് രൂ 525). അപേക്ഷയോടൊപ്പം ഹാജരാക്കേണ്ടതാണ്.

(2) താഴെ പറയുന്ന ധോഗ്യതകൾ തെളിയിക്കുന്ന സർട്ടിഫിക്കറ്റുള്ള ശരിപ്പുകൾ (ഗസറ്റ് ആഫീസർ സാക്ഷ്യപ്പെടുത്തിയത്).

(എ) വയസ്സ്

(ബി) വിദ്യാഭ്യാസ ധോഗ്യത

വയർമാൻ പെരിമിറ്റ് എക്സാംഷൻ കാറ്റഗറിയിലോ/പരിക്ഷയെഴുതിയോ ലഭിച്ച് നിശ്ചിത കാലയളവ് പ്രായോഗിക പരിജ്ഞാനം നേടിയവർ എൽ.എസ്.എൽ.എൽ.സി.യോ തത്ത്വജ്ഞാന പരിക്ഷയോ പാസായിട്ടും എന്ന തെളിയിക്കുന്നതിന് മാർക്ക് ലിഡ്സിൽ പകർപ്പുകൂടി ഹാജരാക്കേണ്ടതാണ്. ‘സി’ കൂളി കോൺട്രാക്ട് ലൈസൻസ് ലഭിച്ച് 10 വർഷത്തെ വരുമാനം പ്രായോഗിക പരിജ്ഞാനം നേടിയതിന്റെ അടിസ്ഥാനത്തിൽ പരിക്ഷയ്ക്ക് അപേക്ഷിക്കുന്നവർ എൽ.എസ്.എൽ.എൽ.സി. പൂർത്തിയാക്കി എന്ന തെളിയിക്കുന്ന സർട്ടിഫിക്കറ്റ് ഹാജരാക്കേണ്ടതാണ്.

(സി) വയർമാൻ പെരിമിറ്റിന്റെയും കോൺട്രാക്ട് സർട്ടിഫിക്കറ്റിന്റെയും പകർപ്പുകൾ.

(ഡി) ‘സി’ കൂളി ലൈസൻസിന്റെ പകർപ്പുകൾ

(ഈ) പ്രായോഗിക പരിചയത്തിൽ സർട്ടിഫിക്കറ്റ്

(ഈ) സുപ്രഖ്യാതവും പരിക്ഷയും മുകളിൽ നിന്നും പുരിപ്പിച്ചു കുത്യാമായ തിയതിയിൽ 10 സെ.മീ. X 24 സെ.മീ. വലിപ്പത്തിലുള്ള രണ്ട് കവറുകൾ.

നൃനാശക്രിയയിൽ വെക്കിക്കിട്ടുന്നതുമായ അപേക്ഷകൾ മറ്റാരു അറിയിപ്പ് കൂടാതെ നിരസിക്കുന്നതാണ്.

பரிசுக்கமண்டல்/விஷயங்கள்

(பரிசு ஸிலவுஸ் ஹூஸிஸிற் அனுதே கொடுத்திடுள்ளது)

1. பார்ட் எனிலை பேப்பர் எனினுடை பேப்பர் ரஸ்டின்டை நூடு விடம் மாற்காணுமூலத்து. பாஸ்குவால் 40% மாற்க விடம் கிடித்திருக்கின்றன.
2. பார்ட் ரஸ்டினை பொறைஶிக் கெஸ்டிக் 100 மாற்காண் உலூத்து. அதில் பாஸ்குவால் கூர்ணத்து 50% மாற்க கிடித்திருக்கின்றன.
3. ஏழூத்து பரிசு ரஸ்டின்டை பாஸாயவர்க்கு மாடுமே பொறைஶிக் கீழ் பரிசுத்துக்க் கூக்கு வால் அற்பதற்கும்.
4. மூலக்டிக்கல் ஸுப்பர்வேஸர் கோவிட்டின்ஸி ஸர்ட்டிபிகேட்டு கொடுக்குமுன்வியா:

  - (1) பரிசுத்து மொத்தா 130-நுழுக்கஜிலும் 180-ந்த தாசெயை மாற்கொடுக்குடி பாஸ்குவானவர்க்கு 25 கெ.யஸ்டு. கூடியிருக்கிறது.
  - (2) பரிசுத்து மொத்தா 180-ந் அதில் கூடுதலே மாற்க கிடி பாஸ்குவானவர்க்கு 50 கெ.யஸ்டு. கூடியிருக்கிறது.
  - (3) பரிசுத்து பாஸ்குயி கோவிட்டின்ஸி ஸர்ட்டிபிகேட்டு பெர்மிட்டு கீடுகுவால் ஒரு கொல்லத்தினுடையேசும் மாடுமே ஸ்கோஸ் கூடுவானுமூல அபேக்ஷ ஸமர்ப்பிக்குவால் பாடுமூல.

**ELECTRICAL SUPERVISOR 'B' GRADE  
EXAMINATION—2018**

**PART I**

**PAPER I**

**Basic Electrical Engineering—Theory**

Maximum Marks—100.

Time—3 Hours.

1. *Principles of Electricity.*—Electric pressure, current and resistance, Ohm's Law, Kirchoff's Law—Specific resistance. Law of resistance and their application for calculating voltage drop. Series and parallel circuits. Unit of voltage, current, resistance, power and energy, Relation between electrical power unit (kW) and mechanical power unit (H.P.), Inductance, Capacitances, Reactance, Impedances.
2. *Electromagnetism.*—Production of E.M.F.—Faraday's and Lenz's Laws and Fleming's left hand rule, Fleming's right hand rules, Magnetic, chemical and heating of electric current. Magnetic properties of material, Permeability, Hysteresis, Electromagnets and their application.

3. *Materials.*— Conductors — Semi conductors and insulators. Classes of insulation—Insulating materials and their relative merits. Transformer Oil, Effect of heat and moisture on insulation. Lubricants and their uses—Dielectric—Dielectric strength permittivity.
4. *Circuits.*— Series, Parallel, Series-Parallel circuits, Phasor addition, subtraction, multiplication and division. Complex impedance—Phase Sequence Simple L.C.R. circuit and solutions—Star delta connections and transformations. Power and power factor—Net work solutions-3 phase circuits — Balanced and unbalanced loads—Symmetrical components and sequence impedance.
5. *Generation of Electricity.*— (a) A.C. Generators—Constructional features and essentials components—E.M.F. equation—Synchronous Reactance, Regulation, Voltage Control Synchronizing—Synchroscopes—Bright lamp and dark lamp methods. (b) D.C. Generators—Essential components and constructional features. Shunt, Series and compound Generators and their characteristics. Causes of Sparking - Interpoles, Commutators and their maintenance, Carbon brushes, their adjustment and methods of voltage regulations.
6. *Transformer.*—Single phase and 3 phase transformers—Constructional features—Transformation ratio—Voltage and current equations—Magnetizing current, leakage reactance—Equivalent circuit — Core and copper losses—Efficiency—Open circuit and short circuit tests—Auto transformers—Temperature rise—3 phase connections and vector group — Scott connection—Instrument transformers—Territory windings—dry type transformer.
7. *Motors.*— (a) A. C. Motors—Rotating magnetic field, single phase induction motors—Different types—Working principle of 3 phase induction motors—Squirrel cage and slip-ring—Methods of starting, Slip torque characteristics, no load and blocked rotor tests—Efficiency—Circle diagram and determination of characteristics, Synchronous motors, Commutator motors. (b) D.C. Motors—Theory of series, shunt and compound wound motors, their uses, installation, methods of starting and speed control and reversal of direction.

8. *Conversions.*—Motor generator sets—Rectifiers—Half wave and Full wave rectifiers—Single phase and 3 phase—Voltage Equation—Filtering.
9. *Batteries.*—Primary cells, Dry cells, Storage or secondary batteries—Constructional features of storage batteries or accumulators and their installations. Lead acid cells, Nickel iron or alkaline cells, Initial and subsequent charging of batteries, charging circuits and their calculations. Series and parallel circuits. Maintenance of batteries. Use of hydrometers.
10. *Transmission and Distribution.*—Line constants—Determination of voltage drop—Regulation—Short, medium and long lines. Ferranti effect, Economic size of conductors—Coronaloss—Power loss—design of a ground conductor—Lightening arrestors.
11. *Constructional feature of U.G. Cables.*—Fault location—Murray and Varley loop tests—Charging currents.

## PAPER II

### Basic Electrical Engineering—Application

Maximum Marks—100.

Time—3 Hours.

1. *Design of Electrical Installations.*—Load survey—Domestic-Commercial and industrial installations—Connected load—Maximum demand—Demand factor—Diversity factor, Load factor-Selection of sub-station site-Transformer capacity-Selection of distribution voltage-Main and sub-switch boards—Distribution fuse board—M.C.C.—P.M.C.C.—P.C.C. Distribution layout—Location of switch board—Fault level calculations.
2. *Selection of Equipments.*—Different types of breakers-O.C.B.—A.C.B — V.C.B.—M.C.C.B.—M.C.B.—Contactors. Breaking capacity—Making capacity. Selection of Distribution fuse board—Continuous ratings-H.R.C. fuses-prospective currents—Cut off values—Selection of major and minor fuses—Grading switch boards, design of outlets, fabrication, design-Parameters—F.B.A. regulations. Cable short time and continuous rating—De-rating factors - Methods of laying—Design aspects of different type of cables in Hazardous areas-Motors-Selection method of starting D.C. Motors-Speed control, Limitation on starting current and voltage drop-system disturbance. High voltage motors. Protection—capacitors—Power factors improvement—Selection and method of connection - Special type transformers-Rectified transformers—Scott connection—tertiary windings. Captive generation—Determination of capacity - Load segregation - Double bus system, change over arrangements - I.S. Regulations.

3. *Protection.*—Basic methods of Transformer, Generator, Motors and Feeder protections, Thermal and magnetic releases-Relays-I.D.M.T. Instantaneous types-Over current - Earth fault and earth leakage relays-Time and current setting- P.Ts and C.Ts. Specification and error factors. Static Relays I.S. Regulations.
4. *Earthing.*—Determination of size of earth bus, number of earth electrodes. Plate, Pipe and strip electrodes- Resistivity of soil measurement—Computation of earth resistance-Different materials used for earthing conductors-Current densities-Corrosion factors-Disposition of electrodes-Joints in earth conductors. Size of earth conductors for equipments of various capacities. Earth continuity wire-earth continuity resistance. I.S. Regulations.
5. *Cable Joining.*—Aluminium and copper cable joints—Type - precautions—Termination—I.S. Regulations.
6. *Clearances.*—Statutory clearances of live parts from ground and buildings—Sectional clearance—Equipment clearance—Switch boards clearance inside and outside—Oils containing equipments. Indoor and outdoor equipment clearances—Relevant standards and regulations.
7. *Special Type of Installations.*—C.T. Scan, X-ray, Neon Sign, Lift, Cinema installations—Relevant Rules, circuitry Safety precautions—Earthing - precautionary measures-Energy meters—Tri-vector meter—Installations and computation of energy.
8. *Testing and Maintenance.*—Insulation Tester-Earth Tester—Relay testing kit., Schering bridge Break down test of oil—Single phase and 3 phase energy meter testing—Volt meter—Ammeter—Wattmeter—Different installations—Recommended values of insulation resistance—Earth resistance measurements. Desired values - Continuity measurements - Relay testing - Maintenance of various electrical installations—Relevant standards and regulations.
9. *Rules and Standards.*—The Electricity Act 2003, the CEA (Measures Relating to Safety and Electric Supply) Regulation 2010, Kerala Cinema Regulation Rules 1988—Kerala Electricity Licensing Boards Rules – Condition of Supply—Provisions applicable to consumers and contractors in particular I.S./ NEC- Specifications I.E.C. Regulations.

**PART II**

Practical and Viva Voce. Maximum Marks—100.

A Practical Examination based on the Syllabus in Part I will be held.

*Note:*— The candidate should obtain 50% in Part II for a pass.

**Electrical Supervisor Grade 'B' Competency Certificate and Permit**

(i) The successful candidates will be eligible for getting Supervisor Competency Certificate and permit as follows:—

- (a) Those who pass the examination and secure above 130 marks and below 180—"All Low Voltage Installations and Medium Voltage Installations upto 25.kW"
- (b) Those who pass the examination and secure marks above 180—"All Low Voltage Installations and Medium Voltage Installations upto 50kW".
- (ii) Application for enhancing the scope of the Electrical Supervisor permits will be considered only after one year from the date of issue of the permits and Competency.